




# Military Solutions



I-Trac™



Supa-Trac™



Supa-Trac X-Press™

## The IPL MacroTrac™ Solution for Military

Economical and environmentally friendly matting solutions.

# IPL MacroTrac™ Military Solutions

The days of building permanent roads and structures to support temporary sites are over.



## Why Choose MacroTrac™?

MacroTrac matting systems provide an effective solution for temporary job sites with a product that is durable, reusable, easy to transport, cost effective, and environmentally friendly. MacroTrac matting products are designed to improve the ability to function in remote areas, support equipment on soft or uneven ground, allow faster and easier access to resources, reduce set-up time, and allow for easy dismantling.

## IPL MacroTrac™ Matting Systems

are quickly becoming the #1 choice of the military for tarmacs, hangars, temporary roadways, tent flooring, helipads, and pedestrian walkways. All products are extremely durable, quick to install, and require no special tools. Additionally, no training is required, allowing for any available personnel to assist in installation and extraction.



BEFORE



AFTER



## Better performance, more flexibility, less impact.

I-Trac, Supa-Trac, and Supa-Trac X-Press are durable, yet lightweight portable roadway and matting products used to access and install equipment in remote areas that may have inhospitable or unsafe ground.

**SUPA-TRAC X-Press** is a high-traction, lightweight pedestrian matting system perfect for tent flooring and creating access routes.

- Supa-Trac X-Press has an easy to manage weight of only 3.3 pounds per panel, and can conform to most ground types and conditions.

**SUPA-TRAC** is a heavy duty roadway and flooring system that can be used for helipads, staging areas for lightweight equipment, walkways, and underneath tents.

- Supa-Trac is capable of supporting load capacities up to 36,000 lbs./sq. ft. and vehicles with up to 3.5 tons per axle.
- With compact panels that are 2.26 sq. ft. per piece, a 48' flatbed can carry 21,696 sq. ft. per truck (2,016 square meters).

**I-TRAC** is a state-of-the-art, professional-grade, modular infrastructure system that can be used to support extreme loads and equipment over virtually all ground conditions.

- I-Trac can be manually deployed at a rate of 500 sq. ft. per man-hour.
- Each I-Trac panel covers 8.6 sq. feet, weighs only 38 pounds, and has an extreme strength-to-weight ratio with a load capacity of up to 86,400 lbs./sq. foot.

## Rapid Deployment and Extraction.

**MacroTrac mats are easy to install. A foundation of I-Trac can be laid quickly and efficiently at a new site. Once installed, it is immediately available for heavy equipment usage.**

Our experienced MacroTrac Team has the knowledge and expertise required to fully maximize job success with proper training on the most effective use of the product. Once a site is dismantled, MacroTrac mats can be picked up, shipped to, and reused at another site.



## IPL MacroTrac™ Heavy Duty Products

	Panel Size US (inches) (L x W x H)	Panel Size Metric (millimeters) (L x W x H)	Weight per Panel (lbs)	Weight per Panel (kg)	Area per Panel (Ft²/Pc)	Area per Panel (M²/Pc)	Shipping (Ft²) (53' Trailer)	Shipping (Ft²) (48' Flatbed)	Static Compression Capacity* (lb/Ft²)
<b>Supa-Trac™ X-Press</b>	39 x 11.3 x 1.1	990 x 287 x 28	3.3	1.5	2.30	0.21	28,290	28,290	36,000
<b>Supa-Trac™</b>	38 x 11 x 1.4	965 x 279 x 36	4.4	2.0	2.26	0.21	21,696	21,696	36,000
<b>I-Trac™</b>	47.5 x 36.3 x 2.1	1,207 x 922 x 53	38.0	17.2	8.47	0.80	9,656	9,656	86,400



MacroTrac flooring products are 100% recyclable.  
Please contact us about our recycling program.

All products are made of high-impact polypropylene. UV inhibitors added. Fire rating UL94HB.

\*Solid sub-surface. Capacity varies depending on sub-surface.

Information valid as of 12/2013. Data is subject to change.